

**Table 13. Individual location data for Wheat Varieties at Rowan County - 2013.**

<b>Brand Variety or Variety</b>	<b>Yield bu/a</b>	<b>Test Wt lb/bu</b>
*UniSouth Genetics USG X3404	97.4	52.2
Southern States SS 8340	94.7	54.2
Becks 135	94.4	55.3
AgriMAXX 415 Treated**	93.3	54.8
UniSouth Genetics USG 3523	93.1	54.1
Pioneer 26R41	92.2	52.1
Pioneer 26R20	91.7	53.9
Dyna-Gro 9012	90.9	54.8
UniSouth Genetics USG 3201	90.7	55.6
Pioneer 26R10	90.5	54.4
Dyna-Gro Shirley	90.2	53.5
UniSouth Genetics USG 3251	90.1	54.6
AgriMAXX 415	90.0	55.5
SY Harrison	90.0	52.8
AgriMAXX 434	89.9	51.3
Pioneer 26R53	89.3	55.0
*Progeny PGX12-10	88.8	52.7
UniSouth Genetics USG 3438	88.5	53.6
Dyna-Gro 9223	88.3	54.4
Southern States SS 8500	87.6	54.6
Progeny 870	87.4	53.4
AgriMAXX 434 Treated**	87.4	52.8
Pioneer 26R12	87.2	54.0
AgriMAXX 413 Treated**	87.1	53.6
Beck's 120	86.5	52.6
Southern States SS 8700	86.4	53.0
Progeny 308	86.3	55.1
Progeny 357	86.1	52.2
*VA 07W-415	85.8	54.2
AgriMAXX 438 Treated**	85.7	54.7
Pioneer 26R22	85.6	54.6
Progeny 185	85.5	52.9
NC Yadkin	85.5	54.2
*Progeny PGX12-3	85.4	51.0
Becks 113	85.2	55.0
Southern States SS 8350	85.0	53.3

**Table 13. (Cont'd) Individual location data for Wheat Varieties at Rowan County - 2013.**

<b>Brand Variety or Variety</b>	<b>Yield bu/a</b>	<b>Test Wt lb/bu</b>
AgriMAXX 438	84.9	54.8
*VA09W-73	84.4	53.1
*AgriMAXX EXP1342 Treated**	84.3	51.3
*AgriMAXX EXP1342	84.0	53.1
*Pioneer XW11G	84.0	52.6
*GA 031257-10LE34	83.7	50.2
UniSouth Genetics USG 3612	83.3	52.2
UniSouth Genetics USG 3409	83.3	55.1
AgriMAXX 427	83.0	53.3
AgriMAXX 413	82.6	50.5
AgriMAXX 427 Treated**	82.4	55.3
UniSouth Genetics USG 3993	82.3	55.0
AGSouth Genetics AGS 2056	82.1	52.9
*SY 474	82.1	55.1
*NC09-22402	82.0	53.9
VA 10W-119	82.0	54.4
Oakes	81.8	54.0
UniSouth Genetics USG 3665	81.4	53.6
Southern States SS 8308	81.3	53.6
*NC09-22206	81.1	53.4
*Progeny PGX12-12	81.0	51.4
Merl	80.7	54.1
Featherstone VA258	79.9	51.5
*NC08-140(Bdv2)	79.6	53.0
Pioneer 25R32	79.3	53.8
Southern States SS 5205	79.1	50.1
Southern States SS 8404	79.0	55.6
SY 9978	78.8	54.4
UniSouth Genetics USG 3120	78.7	54.3
*VA 09W-75	77.6	54.4
Southern States SS 8302	77.5	55.1
*ARS07-0525	77.3	54.0
*NC09-20768	77.3	50.9
UniSouth Genetics USG 3555	77.0	54.0
*NC09-20765	76.8	54.6
Southern States SS 520	76.5	52.7

**Table 13. (Cont'd) Individual location data for Wheat Varieties at Rowan County - 2013.**

<b>Brand Variety or Variety</b>	<b>Yield bu/a</b>	<b>Test Wt lb/bu</b>
Dyna-Gro Baldwin	76.4	50.6
*GA 04570-10E46	76.2	55.2
AGSouth Genetics AGS 2038	76.1	55.7
*NC08-21273	75.5	54.3
AGSouth Genetics AGS 2035	75.5	54.0
*NC08-23324	75.4	51.4
AGSouth Genetics AGS 2026	74.9	52.4
Progeny 117	74.1	54.5
*GA 031086-10E26	73.5	46.9
*Southern States SS 8412	72.6	55.1
Southern States SS 8641	72.6	53.1
Dyna-Gro Yorktown	72.1	54.6
Jamestown	70.9	53.6
*NC08-23089	70.4	53.5
NC Cape Fear	70.4	54.4
Progeny 125	70.4	52.1
UniSouth Genetics USG 3209	70.3	53.4
*ARS08-0047	69.2	52.2
<b>MEAN</b>	<b>82.5</b>	<b>53.5</b>
CV%	6.8	
BLSD (K-50)	5.7	
S.E.	2.5	
Error d.f.	262	
R <sup>2</sup> %	66.4	

\*Experimental

\*\*Treated with an insecticidal seed treatment

\_\_\_\_\_

\_\_\_\_\_





